3

CLAIMS

Having thus described our invention, what we claim as new and desire to secure by Letters Patent is as follows:

1	1. A multiple stage pump, comprising:
2	a first pump in a first stage;
3	a second pump in a second stage;
4	at least one valve upstream from one of the first pump and the second pump in at
5	least one of the first stage and the second stage; and
6	a common branch line connecting the first stage and the second stage to a
7	common hydraulic system.
1	2. The multiple stage pump of claim 1, wherein the at least one valve includes:
2	a first valve upstream of the first pump in the first stage of the hydraulic system;
3	and
4	a second valve upstream of the second pump in the second stage of the hydraulic
5	system.
1	3. The multiple stage pump of claim 1, further including:
2	at least another valve in direct line and upstream from the at least one valve; and
3	a valve system associated with the common branch line upstream from the
4	connection of the first stage and the second stage.
1	4. The multiple stage pump of claim 3, wherein
2	the at least one valve includes:

a first valve upstream of the first pump in the first stage of the hydraulic

4	system; and
5	a second valve upstream of the second pump in the second stage of the
6	hydraulic system; and
7	the at least another valve includes:
8	a first other valve upstream from the first valve; and
9	a second other valve upstream from the second valve.
1	5. The multiple stage pump of claim 1, wherein the at least one valve includes three
2	valves associated with both the first stage and the second stage.
1	6. The multiple stage pump of claim 1, wherein the at least one valve is one of a control
2	valve, a flow valve, a pressure control valve and an on/off valve.
1	7. The multiple stage pump of claim 1, further comprising
2	a first check valve associated with the first stage; and
3	a second check valve associated with the second stage, wherein
4	the first check valve is adapted to ensure that the second pump in the
5	second stage is not running against a low pressure of a valve of the at least one valve
6	associated with the second stage which is in an "off" position, and
7	the second check valve is adapted to ensure that the first pump in the first
8	stage is not running against a low pressure of a valve of the at least one valve associated
9	with the first stage which is in the "off" position.
1	8. A multiple stage pump, comprising:
2	at least two pumps; and
3	at least two valve means for regulating fluid from the at least two pumps,
4	respectively, the at least two valve means being upstream from the at least two pumps in

1

2

5	a respectively same line as the at least two pumps.
1	9. The multiple stage pump of claim 8, further comprising a merged line upstream from
2	the at least two valve means.
1	10. The multiple stage pump of claim 9, wherein the at least two valve means are control
2	valves, flow valves or on/off valves.
1	11. The multiple stage pump of claim 9, wherein the at least two valve means are
2	pressure regulated valves.
1	12. The multiple stage pump of claim 9, wherein the at least two valve means are
2	pressure relief valves.
1	13. The multiple stage pump of claim 9, wherein the at least two valve means are each a
2	set of valves.
1	14. A pumping system adapted for supplying fluid to an injector, comprising:
2	a multiple stage pumping system having a multitude of pump stages for supplying
3	the fluid to the injector; and
4	a flow control system for providing a linear flow control throughout the multitude
5	of pump stages while preventing pressure peaks,
6	wherein for each pump stage a pressure control valve regulates the on/off function
7	of a multitude of volumes to supply the each pump stage with the fluid.

15. The pumping system of claim 14, further comprising a common branch rail

associated with the multiple stage pumping for supply the fluid to the injector, wherein

3	the fluid flow passes a check valve after each pump stage before the fluid flow is
4	combined in the common branch line,
5	the check valves regulate switching without pressure peaks throughout the
6	multiple stage pumping system, and
7	the check valves ensure that an opposite side pump of the multiple stage pumping
8	system is not running against a low pressure of a valve which is in an "off" position.
1	16. The pumping system of claim 15, wherein the control valves are positioned in
2	parallel and in line to respective reservoirs thereby eliminating pressure drops.
1	17. The pumping system of claim 16, wherein a start position of any of the control valves
2	is a closed position to thus provide a fail safe position when any of the control valves
3	fails.